

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
 Substance / mixture: Zalewa epoksydowa dwuskładnikowa 141
 UFI: SM30-60XW-T00U-MYR0
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
 Encapsulation of electronic circuits
Main intended use
 PC-TEC-26 Products for molding, casting, rigid and flexible foams, including resin mixtures (excludes adhesives, construction products, paints and coatings)
Mixture uses advised against
 The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
 Name or trade name: AG TermoPasty Grzegorz Gąsowski
 Address: Kolejowa 33 E, Sokoły, 18-218
 Poland
 Identification number (CRN): 200133730
 VAT Reg No: PL9661767714
 Phone: 862741342
 E-mail: biuro@termopasty.pl
 Web address: www.termopasty.pl
Competent person responsible for the safety data sheet
 Name: AG TermoPasty Grzegorz Gąsowski
 E-mail: biuro@termopasty.pl
- 1.4. Emergency telephone number**
 European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
 The mixture is classified as dangerous.
- Flam. Liq. 3, H226
 Skin Irrit. 2, H315
 Skin Sens. 1, H317
 Eye Irrit. 2, H319
 Repr. 2, H361d
 STOT RE 1, H372 (hearing organs)
 Aquatic Chronic 2, H411
- Most serious adverse physico-chemical effects**
 Flammable liquid and vapour.
- Most serious adverse effects on human health and the environment**
 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging the unborn child. Causes damage to hearing organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

- 2.2. Label elements**
Hazard pictogram



Signal word
 Danger

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

Hazardous substances

bis-[4-(2,3-epoxipropoxy)phenyl]propane
styrene

Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to hearing organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1675-54-3 EC: 216-823-5 Registration number: 01-2119456619-26-0013	bis-[4-(2,3-epoxipropoxy)phenyl]propane	85-90	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315: C ≥ 5 % Eye Irrit. 2, H319: C ≥ 5 %	
Index: 601-026-00-0 CAS: 100-42-5 EC: 202-851-5 Registration number: 01-2119457861-32-XXXX	styrene	5-15	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H335 Repr. 2, H361d STOT RE 1, H372 (hearing organs) Aquatic Chronic 3, H412	1

Notes

- Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilised".

Full text of all classifications and hazard statements is given in the section 16.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023		
Revision date	14th February 2024	Version	9.0

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Provide medical treatment. For persons with no symptoms, call the Toxicological Information Centre to decide about the need of medical treatment; provide information about the substances or composition of the product from the original packaging or the Safety Data Sheet of the product.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Content	Packaging type	Material of package
100 g	box	FE

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

bis-[4-(2,3-epoxipropoxy)phenyl]propane					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.75 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	89.3 µg/kg	Chronic effects systemic		
Consumers	Oral	0.5 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	4.93 mg/m³	Chronic effects systemic		
Consumers	Inhalation	0.87 mg/m³	Chronic effects systemic		

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

styrene					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	306 mg/m ³	Acute effects local		
Consumers	Inhalation	182.75 mg/m ³	Acute effects local		
Workers	Inhalation	289 mg/m ³	Acute effects systemic		
Consumers	Inhalation	174.25 mg/m ³	Acute effects systemic		
Consumers		10.2 mg/m ³	Chronic effects systemic		
Workers		85 mg/m ³	Chronic effects systemic		
Consumers	Dermal	343 mg/kg bw/day	Chronic effects systemic		
Workers	Dermal	406 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	2.1 mg/kg bw/day	Chronic effects systemic		

PNEC

bis-[4-(2,3-epoxipropoxy)phenyl]propane			
Route of exposure	Value	Value determination	Source
Microorganisms in sewage treatment	10 mg/l		
Soil (agricultural)	0.065 mg/kg of dry substance		
Freshwater sediment	0.341 mg/kg of dry substance		
Sea sediments	0.034 mg/kg of dry substance		
Water (intermittent release)	0.018 mg/l		
Marine water	0.001 mg/l		

styrene			
Route of exposure	Value	Value determination	Source
Drinking water	0.028 mg/l		
Marine water	0.0028 mg/l		
Microorganisms in sewage treatment	5 mg/l		
Water (intermittent release)	0.04 mg/l		
Freshwater sediment	0.614 mg/kg of dry substance		
Sea sediments	0.0614 mg/kg of dry substance		
Soil (agricultural)	0.2 mg/kg of dry substance		

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow
Odour	specific
Melting point/freezing point	141 °C
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	58 °C
Auto-ignition temperature	490 °C
Decomposition temperature	data not available
pH	7 (undiluted)
Kinematic viscosity	data not available
Viscosity	900 – 1500 mPas
Solubility in water	insoluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	3.242 (25°C, pH = 7.1)
Vapour pressure	data not available
Density and/or relative density	
Density	1.11 – 1.15 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

bis-[4-(2,3-epoxipropoxy)phenyl]propane					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>2000 mg/kg		Rat	M
Oral	LD ₅₀	>15000 mg/kg		Rat	F
Dermal	LD ₅₀	>2000 mg/kg		Rat	F/M
Dermal	LD ₅₀	>3450 mg/kg		Rabbit	F
Oral	NOEL	50 mg/kg bw/day			
Oral	NOAEL	100 mg/kg bw/day			

styrene					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC ₅₀	11.8 mg/l	4 hours	Rat	
Dermal	LD ₅₀	>2000 mg/kg		Rat	
Oral	LD ₅₀	5000 mg/kg		Rat	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

bis-[4-(2,3-epoxipropoxy)phenyl]propane						
Route of exposure	Parameter	Value	Specific target organ	Result	Species	Sex
Oral	NOAEL	15 mg/kg bw/day	Undefined			
Dermal	NOAEL	1 mg/kg bw/day	Liver			

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023
Revision date 14th February 2024 Version 9.0

Reproductive toxicity

Suspected of damaging the unborn child.

bis-[4-(2,3-epoxipropoxi)phenyl]propane					
Effect	Parameter	Value	Result	Species	Sex
Effects on fertility	NOAEL	750 mg/kg bw/day			
Developmental toxicity	NOAEL	180 mg/kg bw/day			

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Causes damage to hearing organs through prolonged or repeated exposure.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Acute toxicity

bis-[4-(2,3-epoxipropoxi)phenyl]propane				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	2 mg/l	96 hours	Fish (Salmo gairdneri)	Fresh water
EC ₅₀	21.8 mg/l	48 hours	Daphnia (Daphnia magna)	
NOEC	0.5 mg/l		Daphnia (Daphnia magna)	
ErC ₅₀	11 mg/l	72 hours	Algae (Selenastrum capricornutum)	
NOEC	4.2 mg/l	72 hours	Algae (Selenastrum capricornutum)	

styrene				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	4.1 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
LC ₅₀	23 mg/l	48 hours	Daphnia (Daphnia magna)	
EC ₅₀	4.7 mg/l	48 hours	Daphnia (Daphnia magna)	
EC ₅₀	4.9 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EC ₅₀	120 mg/kg	14 days	Other aquatic organisms (Eisenia fetida)	

12.2. Persistence and degradability

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date 03rd March 2023
Revision date 14th February 2024 Version 9.0

not available

12.3. Bioaccumulative potential

Not available.

bis-[4-(2,3-epoxipropoxy)phenyl]propane

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
BCF	31 mg/m ³				
Log Kow	3.242				25°C

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1866

14.2. UN proper shipping name

RESIN SOLUTION

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

III

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

Additional information

Hazard identification No.

UN number

Classification code

Safety signs

30
1866

F1

3+ hazardous for the environment



Tunnel restriction code

(D/E)

Marine transport - IMDG

EmS (emergency plan)

MFAG

F-E, S-E

3F00

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to hearing organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Zalewa epoksydowa dwuskładnikowa 141

Creation date	03rd March 2023	Version	9.0
Revision date	14th February 2024		

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 9.0 replaces the SDS version from 03 March 2023. Changes were made in sections 1, 2, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.