

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture Smar miedziany  
mixture  
UFI GQ30-Q0NA-400C-8AA2
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Lubricating agent.  
**Main intended use**  
PC-TEC-11 Lubricants, greases, release agents  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name AG TermoPasty Grzegorz Gąsowski  
Address Kolejowa 33 E, Sokoły, 18-218  
Poland  
Identification number (CRN) 200133730  
VAT Reg No PL9661767714  
Phone +48 86 274 13 42  
E-mail msds@termopasty.pl  
Web address www.termopasty.com
- Competent person responsible for the safety data sheet**  
Name AG TermoPasty Grzegorz Gąsowski  
E-mail msds@termopasty.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.

Aerosol 1, H222, H229  
Asp. Tox. 1, H304  
Skin Irrit. 2, H315  
STOT SE 3, H336  
Repr. 2, H361f  
STOT RE 2, H373  
Aquatic Chronic 2, H411

#### Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### Most serious adverse effects on human health and the environment

May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility. Harmful to aquatic life with long lasting effects.

- 2.2. Label elements**

#### Hazard pictogram



#### Signal word

Danger

#### Hazardous substances

n-hexane

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

#### Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P280	Wear protective gloves.
P391	Collect spillage.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	30-40	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 601-037-00-0 CAS: 110-54-3 EC: 203-777-6 Registration number: 01-2119480412-44-XXXX	n-hexane	33.25-35	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2 (***), H361f STOT RE 1, H372 (nervous system) Aquatic Chronic 2, H411 Specific concentration limit: STOT RE 2, H373: C ≥ 5 %	1
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	10-20	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 029-026-00-0 CAS: 7440-50-8 EC: 231-159-6 Registration number: 01-2119480154-42-XXXX	copper	1.2-<1.35	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	

#### Notes

\*\*\* reproductive toxicity: supplementary letters specify whether fetal harm (d) or fertility harm (f) may occur

1 A substance for which exposure limits are set.

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

Full text of all classifications and hazard statements is given in the section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

##### **If inhaled**

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

##### **If on skin**

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

##### **If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

##### **If swallowed**

Unlikely.

##### 4.2. Most important symptoms and effects, both acute and delayed

##### **If inhaled**

Cough, headache.

##### **If on skin**

Not expected.

##### **If in eyes**

When intruding eyes, it can evoke irritation.

##### **If swallowed**

Irritation, nausea.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

##### **Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### **Unsuitable extinguishing media**

Water - full jet.

##### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

##### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale gases and vapours.

##### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

##### 6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale gases and vapours. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
100 ml	airspray	FE
400 ml	airspray	FE

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

##### European Union

##### Commission Directive 2006/15/EC

Substance name (component)	Type	Value
n-hexane (CAS: 110-54-3)	OEL 8 hours	72 mg/m <sup>3</sup>
	OEL 8 hours	20 ppm

#### DNEL

n-hexane			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	75 mg/m <sup>3</sup>	Chronic effects systemic
Consumers	Inhalation	11 mg/kg/24h	Chronic effects systemic
Consumers	Inhalation	16 mg/m <sup>3</sup>	Chronic effects systemic
Workers	Dermal	5.3 mg/kg/24h	Chronic effects systemic
Consumers	Oral	4 mg/kg/24h	Chronic effects systemic

#### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

##### Eye/face protection

It is not needed.

##### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

#### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	gas
Colour	orange
Odour	without fragrance
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	non-soluble (in water)
Kinematic viscosity	data not available
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	data not available
Relative vapour density	data not available
Particle characteristics	data not available

#### 9.2. Other information

Evaporation rate	non-applicable
Appearance	spray

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

not available

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

#### Acute toxicity

Based on available data the classification criteria are not met.

n-hexane					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	16000 mg/kg		Rat	
Dermal	LD <sub>50</sub>	3350 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>	>259.354 g/l		Rat	

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Reproductive toxicity

Suspected of damaging fertility.

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

#### Other information

not available

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

#### Acute toxicity

n-hexane				
Parameter	Value	Exposure time	Species	Environment
EL <sub>50</sub>	21.85 mg/l	48 hours	Invertebrates (Daphnia magna)	

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

n-hexane				
Parameter	Value	Exposure time	Species	Environment
LL <sub>50</sub>	21.51 mg/l	96 hours	Algae	
EL <sub>50</sub>	9.285 mg/l	72 hours	Algae	
NOELR	4.88 mg/l	21 days	Invertebrates (Daphnia magna)	
NOELR	2.8 mg/l	28 days	Fish (Oncorhynchus mykiss)	

#### 12.2. Persistence and degradability

Not available.

#### 12.3. Bioaccumulative potential

Not available.

#### 12.4. Mobility in soil

Not available.

#### 12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

#### 12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

#### 12.7. Other adverse effects

Not available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Packaging waste type code

15 01 11\* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

(\* ) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

### SECTION 14: Transport information

#### 14.1. UN number or ID number

UN 1950

#### 14.2. UN proper shipping name

AEROSOLS

#### 14.3. Transport hazard class(es)

2 Gases

#### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant


##### Additional information

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1+hazardous for the environment



Tunnel restriction code

(D)

##### Air transport - ICAO/IATA

Packaging instructions passenger

203

Cargo packaging instructions

203

##### Marine transport - IMDG

EmS (emergency plan)

F-D, S-U

MFAG

620

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H372	Causes damage to the nervous system through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

P251	Do not pierce or burn, even after use.
P280	Wear protective gloves.
P391	Collect spillage.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
Aerosol	Aerosol
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EL <sub>50</sub>	Effective Loading for 50 % of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LL <sub>50</sub>	Lethal Loading for 50 % of tested organisms
log Kow	Octanol-water partition coefficient
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
Press. Gas	Gases under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Agreement on the transport of dangerous goods by rail
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations

## SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

### Smar miedziany

Creation date	07th March 2023	Version	10.0
Revision date	24th January 2025		

UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

#### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### Recommended restrictions of use

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### The changes (which information has been added, deleted or modified)

The version 10.0 replaces the SDS version from Monday, 29 January 2024. Changes were made in sections 2, 11, 12, 13 and 16.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.